



Outside the Box

Designed by flaurie & finch
featuring the Darling Dots collection



Finished quilt measures 48" x 72"




#quiltwithlove

Outside the Box Color Card
Darling Dots fabric collection


Fabric A
#2953_005




Fabric B
#2953_007



Fabric C
#2953_010




Fabric D
#2953_011



Fabric E
#2953_013



Fabric F
#2953_014



Yardage Requirements

(Darling Dots fabric collection)

5/8 yard Fabric F - #2953_014

3/4 yard Fabric D - #2953_011

7/8 yard Fabric C - #2953_010

7/8 yard Fabric E - #2953_013

1-7/8 yards Fabric B - #2953_007, includes binding

2-1/2 yards Fabric A - #2953_005

3-1/8 yards backing fabric

57" x 81" piece of batting

Basic sewing supplies

Fusible web

Cutting

From Fabric A, cut:

Twenty 4" x WOF strips; subcut into thirty-two 4" x 17" strips (A4, A6) and sixteen 4" x 10" strips (B4)

From Fabric B, cut:

Fourteen 3" x WOF strips; subcut sixteen 3" x 17" strips (A5) and sixteen 3" x 11" strips (A3, B5)

Six 2-1/4" x WOF strips for binding

From Fabric C, cut:

Thirteen 2" x WOF strips; subcut sixty-four 2" x 7" strips (A1, A8, B2, B6)

From Fabric D, cut:

Four 3" strips x WOF strips; subcut twelve 3" x 11" strips (A7)

Three 3-1/2" x WOF strips; subcut twelve 3-1/2" x 10" strips (B3)

Six 2" squares; subcut diagonally in half once to yield twelve triangles (A10)

From Fabric E, cut:

Seven 3" x WOF strips; subcut twenty 3" x 11" strips (A3, A7, B5)

One 3-1/2" x WOF strip; subcut four 3-1/2" x 10" strips (B3)

Two 2" squares; subcut diagonally in half once to yield four triangles (A10)

From Fabric F, cut:

Four 4" x WOF strips; subcut thirty-two 4" squares and then cut each square diagonally in half once to yield sixty-four triangles (A2, A9, B1, B7)

Make the Blocks

Notes:

- Blocks are foundation pieced using provided paper piecing patterns. This pattern assumes basic paper piecing knowledge.

- There are sixteen blocks; eight and eight in reverse. Each block contains an A and a B section.

- Block foundations print on several pieces of paper and will need to be joined before sewing begins. Paper piecing patterns can also be traced onto a 12-1/2" square piece of paper rather than joining printer-size pieces together.

- Make eight copies of the A section and B section, and eight copies of the A section and B section in reverse.

- Strips and triangles are cut slightly oversized to make piecing easier.



- Refer to the Block Diagrams on p. 3 as you work.

1. To piece an A section, position an A1 and A2 piece on the back side of a foundation and stitch on the line. Press open and continue adding strips in numerical order.

2. After the A section is pieced, trim to dotted line on foundation so the piece measures 12-1/2" square. Remove the paper backing.

3. In the same way, make the coordinating B section, trim to measure 6-1/2" x 12-1/2", and remove paper.

4. Join the A and B sections, making sure the seams align. Make the indicated number of each block on p. 3.



Section A

Foundation Piece	Fabric Piece Size
A1	2" x 7"
A2	4" triangle
A3	3" x 11"
A4	4" x 17"
A5	3" x 17"
A6	4" x 17"
A7	3" x 11"
A8	2" x 7"
A9	4" triangle
A10	2" triangle

Section B

Foundation Piece	Fabric Piece Size
B1	4" triangle
B2	2" x 7"
B3	3-1/2" x 10"
B4	4" x 10"
B5	3" x 11"
B6	2" x 7"
B7	4" triangle


Block 1

Make 1 and 1 reversed




Block 2

Make 1 and 1 reversed



Block 3

Make 2 and 2 reversed



Block 4

Make 2 and 2 reversed



Block 5

Make 1 and 1 reversed




Block 6

Make 1 and 1 reversed





Quilt Layout Diagram



Assembly

1. Lay out the blocks into four rows of four blocks each, referring to the Quilt Layout Diagram. Sew the blocks into rows and join the rows.
2. Layer the quilt backing right side down, batting and quilt top right side up. Baste layers together and quilt as desired.
3. Use the seven 2-1/2" x WOF Fabric B strips to bind the quilt.



Paper Piecing Template

Assembly Instructions:

Join 2 B pieces together along short dotted line. Section B should measure 12-1/2" x 6-1/2" from outer dotted lines.

Join 4 A pieces together along short dotted lines. Section A should measure 12-1/2" square from outer dotted lines.

Make 8 copies of each section, and 8 copies of each section in reverse.

