


Wildflower

Designed by Wendy Sheppard
featuring the Wildwood Way and Malam Batiks by Jinny Beyer collections



Finished quilt measures 67-3/4" x 90-1/2"

RJR

#quiltwithlove

Wildflower Color Card
Wildwood Way fabric collection

Fabric A
#3087_001




Fabric B
#3091_001



Fabric C
#3092_001



Fabric D
#3093_001



Fabric E
#3089_001




Fabric F
#3088_001



Fabric G
#3090_001



Fabric H
#4758_139



Fabric I
#2976_001



Fabric J
#2976_002



Yardage Requirements

(Wildwood Way collection)

1/3 yard of Fabric G - #3090_001

1/2 yard each:

Fabric C - #3092_001

Fabric D - #3093_001

3/4 yard each:

Fabric I - #2976_001

Fabric J - #2976_002

7/8 yard of Fabric F - #3088_001

1-1/8 yards each:

Fabric B - #3091_001

Fabric E - #3089_001

2 yards of Fabric H - #4758_139

2-1/8 yards of Fabric A - #3087_001

5-1/2 yards backing fabric

76" x 99" piece of batting

Basic sewing supplies

Cutting and Preparation

From Fabric A, cut:

Five 9-1/2" x WOF strips; recut into eighteen 9-1/2" squares

One 23-1/2" x WOF strip; recut into one 23-1/2" square and one 12-1/2" square.

From Fabric B, cut:

Fourteen 2-1/2" x WOF strips; recut into thirty-six 2-1/2" x 7-1/2" pieces and thirty-six 2-1/2" x 5-1/2" pieces

From each of Fabric C and D, cut:

Five 2-1/2" x WOF strips; recut into seventy-two 2-1/2" squares

From Fabric E, cut:

One 23-1/2" x WOF strips; recut into one 23-1/2" square and one 12-1/2" square.

Three 2-1/2" x WOF strips; recut into thirty-six 2-1/2" squares

One 1-1/2" x WOF strip; recut into seventeen 1-1/2" squares

From Fabric F, cut:

Three 2-1/2" x WOF strips; recut into thirty-six 2-1/2" squares

Nine 2-1/4" x WOF strips for binding

From Fabric G, cut:

Three 2-1/2" x WOF strips; recut into thirty-six 2-1/2" squares

From Fabric H, cut:

One 15-1/2" x WOF strip; recut into twenty-eight 1-1/2" x 15-1/2" pieces

Two 11-1/2" x WOF strips; recut into thirty-six 1-1/2" x 11-1/2" pieces and eight 1-1/2" x 9-1/2" pieces

One 9-1/2" x WOF strip; recut into twenty-eight 1-1/2" x 9-1/2" pieces

Ten 1-1/2" x WOF strips; recut into twelve 1-1/2" x 17" pieces and eight 1-1/2" x 15-1/2" pieces

From Fabric I, cut:

One 23-1/2" x WOF strips; recut into one 23-1/2" square and one 12-1/2" square.

From Fabric J, cut:

One 23-1/2" x WOF strips; recut into one 23-1/2" square and one 12-1/2" square.

Cutting setting triangles:

Cut each 23-1/2" square diagonally in half twice; you'll use two Fabric A, three Fabric E, two Fabric I and three Fabric J side setting triangles.

Cut each 12-1/2" square diagonally in half once; you'll use one Fabric A, one Fabric E, one Fabric I and one Fabric J corner setting triangles.

Making the Blocks

1. Sew 1-1/2" x 9-1/2" Fabric H pieces to opposite sides of one 9-1/2" Fabric A square. Sew 1-1/2" x 11-1/2" Fabric H strips to the top and bottom to make a block center.



2. Sew together one each Fabric E, C and D 2-1/2" squares and one 2-1/2" x 5-1/2" Fabric B piece to make a pieced side unit. Make two. Sew to the sides of the block center.



3. Sew together one each Fabric C, D, F and G 2-1/2" squares and one 2-1/2" x 7-1/2" Fabric B pieces to make a pieced top/bottom unit. Make two. Sew to the top and bottom of the block center to complete a block.



4. Repeat steps 1-3 to make a total of eighteen blocks.



Assembling the Quilt

Note: Refer to the Quilt Layout Diagram on p. 4 as you assemble the quilt.

1. Lay out the eighteen blocks, twenty-four 1-1/2" x 15-1/2" Fabric H pieces, and Fabric A, E, I and J setting triangles into six diagonal rows, noting block orientation. Sew the pieces together into rows.

2. Lay out twelve 1-1/2" x 15-1/2" Fabric H pieces, ten 1-1/2" x 17" Fabric H pieces and seventeen 1-1/2" Fabric E squares into five sashing rows (SR), positioning the 1-1/2" x 17" Fabric H strips at the ends of each row.

3. Sew the block rows and sashing rows together to create the quilt center. Sew Fabric E and Fabric I corner triangles to the lower left and upper right corners of the quilt top. Sew 1-1/2" x 17" Fabric H pieces to the long sides of the Fabric A and Fabric J corner triangles and then join them to the upper left and lower right corners of the quilt top.

4. Trim the quilt top 1/4" past the outer sashing strip points.

Finishing

Lay the backing right side down, batting, and quilt top right side up. Baste the layers together and quilt as desired. Use the nine 2-1/4" x 42" Fabric F strips to bind the quilt.

Quilt Assembly Diagram

